

Piping Plover



ASSESSING HABITAT QUALITY FOR PRIORITY WILDLIFE SPECIES IN COLORADO WETLANDS



© MDF

The piping plover (*Charadrius melodus*, Family *Charadriidae*) is a rare shorebird that nests on sparsely vegetated, often sandy or rocky beaches.

Species Description

Identification

The piping plover is a small shorebird (about 7 inches long). During the breeding season, the piping plover has a single black neck band and short black-tipped orange bill. The piping plover makes a distinctive high-pitched *pipe-pipe-pipe-pipe-pipe...* call, emitted during flight. Other common vocalizations include a rattling threat call (*bec, bec, bec...*) and an alarm call (*woo-up, woo-up* or *kee-ah kee-ah*).

Preferred Habitats

In Colorado, piping plovers use sparsely-vegetated sandy shores of reservoirs and gravel pits where they nest directly on the ground in simple scrapes that may or may not be lined with small pebbles or shells.

Diet

The diet of piping plovers consists entirely of invertebrates.


Conservation Status

The interior (non-coastal) population of piping plovers is Federally listed as threatened. In Colorado, piping plovers are listed as a threatened, Tier 2 Species of Greatest Conservation Need (CPW 2015). They nest on beaches, and are vulnerable to human disturbance and increased predation; therefore, conservation strategies include boosting reproductive success with nesting exclosures and closing nesting beaches to humans during the breeding season.

Species Distribution

Range

Piping plovers have a disjointed, narrow distribution restricted to North America with rare records in Ecuador. They occur in eastern Colorado as very rare migrants and have been known to nest at a few reservoirs: Adobe Creek, John Martin, Neegronda, and Neeskah.



North America map used by permission from Cornell Lab of Ornithology's Birds of North America Online (<http://bna.birds.cornell.edu/bna>). Colorado map based on Andrews and Righter (1992), Kingery (1998), COB-BAII (2015), and CFO (2015).

Preferred Habitat Conditions

Dominant vegetation	none to very sparse clumps of short grasses or sedges
Landscape context	ungrazed and low human disturbance
Size of habitat	beaches more than 20 yards wide; the larger, the better

Management Recommendations

This fact sheet contains easy-to-use guidelines for understanding habitat needs of Colorado Parks and Wildlife priority wetland-dependent wildlife. A number of practical steps can be taken to improve habitat for piping plovers.

Hydrology / Substrate

- Engineer and maintain sandbars.
- Create sand and gravel river islands.
- Provide for coarse material, e.g. pebbles.
- Enlarge or widen habitat where possible.
- Lower summer flows to expose more habitat.
- Manage and time flows to benefit habitat (scouring) while minimizing nesting mortality.
- Control vegetation by flooding after breeding, and lower water level prior to arrival in spring.
- Add sand to islands as needed.

Vegetation

- Clear vegetation from existing sandbars.
- Control vegetation to create or maintain sparse vegetation.

Land Use / Other

- Exclude cattle.
- Create nutrient-rich foraging habitat.

Conservation

- Close breeding beaches to human use.
- Create educational signage to protect breeding birds from human disturbance.
- Provide exclosures where needed.
- Consider exclosure design and use with caution; monitor success.
- Remove predators.
- Create artificial habitat.
- Protect all potential habitat, regardless of size.



© STEVEN TUCKER, USFWS

Acknowledgements

Dr. James Fraser (Department of Fish and Wildlife Conservation, Virginia Tech) reviewed an earlier version and provided input on preferred habitat conditions.

Suggested Reading and Citations

Andrews, R., and R. Righter. 1992. *Colorado Birds*. Denver Museum of Natural History, Denver, Colorado.

Brown, M. B., J. G. Jorgensen, S. E. Steckler, M. J. Panella, W. R. Silcock, and C. M. Thody. 2011. A review of interior least tern and piping plover management, conservation, and recovery on the Lower Platte River, Nebraska. Joint report of the Tern and Plover Conservation Partnership and the Nongame Bird Program at the Nebraska Game and Parks Commission, Lincoln, Nebraska.

Catlin, D. H., J. D. Fraser, J. H. Felio, and J. B. Cohen. 2011. Piping plover habitat selection and nest success on natural, managed, and engineered sandbars. *Journal of Wildlife Management* 75: 305-310.

COBBAIL (Colorado Breeding Bird Atlas II). 2015. Maps available online at <http://bird.atlasing.org/Atlas/CO/>.

CFO (Colorado Field Ornithologists). 2015. Colorado county birding. Maps available at <http://coloradocountybirding.org/CountySelector.aspx>.

CPW (Colorado Parks and Wildlife). 2015. State Wildlife Action Plan: A Strategy for Conserving Wildlife in Colorado. Denver, Colorado.

Kingery, H. E., Editor. 1998. *Colorado Breeding Bird Atlas*. Colorado Bird Atlas Partnership and Colorado Division of Wildlife, Denver, Colorado.

Deblinger, R. D., J. J. Vaske, and D. W. Rimmer. 1992. An evaluation of different predator exclosures used to protect Atlantic Coast piping plover nests. *Wildlife Society Bulletin* 20: 274-279.

Elliott-Smith, E., and S. M. Haig. 2004. Piping plover (*Charadrius melodus*). The Birds of North America No. 002. Cornell Lab of Ornithology.


Rimmer, D. W., and R. D. Deblinger. 1990. Use of predator exclosures to protect piping plover nests. *Journal of Field Ornithology* 61:217-223.

Sidele, J. G., D. E. Carlson, E. M. Kirsch, and J. J. Dinan. 1992. Flooding: mortality and habitat renewal for least terns and piping plovers. *Colonial Waterbirds* 15: 132-136.

License for Mdf and Dick Daniels photos: <https://creativecommons.org/licenses/by-sa/3.0/deed.en>



© DICK DANIELS



© PIPING PLOVER NEST © USFWS

Habitat Scorecard for Piping Plovers (v. Jan 2016)

Assessment of habitat before and after restoration or management actions

Project Name: _____ Date(s) of Assessment: _____

Instructions: Enter one value that best describes early to mid-summer conditions of each habitat variable, using the numbers in the value column. Habitat variables are in shaded boxes; ranges of condition are directly below each variable. If condition is outside range or is not described, enter a zero.

Key habitat variable and conditions	Value	Before	After
Percent open sand or gravel area			
>80 – 100%	20.2		
>50 – 80%	13.5		
40 – 50%	6.7		
Size of habitat			
>22 yards wide	20.2		
>16 – 22 yards wide	13.5		
11 – 16 yards wide	6.7		
Percent total canopy cover >6.6 feet			
0%	20.2		
1 – 5%	13.5		
>5 – 20%	6.7		
Percent herbaceous cover without woody vegetation			
0 – 5%	20.2		
>5 – 10%	13.5		
>10 – 20%	6.7		
Dominant vegetation			
Low grasses (<8 inches), annual forbs, OR open (unvegetated)	19.2		
Perennial forbs	12.8		
Total (of 100 possible): add all numbers in before or after columns			